

FIXT Copper Grease

Contains Copper

Hazard Pictogram(s)



GHS09

Signal Word(s) None.

Hazard Statement(s) H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P273: Avoid release to the environment.
P391: Collect spillage.
P501: Dispose of contents in accordance with local, state or national legislation.

Unique Formula Identifier (UFI) PHD0-S0FU-100T-YMQ7

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Copper	7440-50-8	231-159-6	0.3 - 2.4	Acute Tox. 4 H302 Eye Irrit. 2 H319 Acute Tox. 3 H331 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS06 GHS07 GHS09

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit	M-factor	ATE
-------------------------	---------	------------------------------	----------	-----

FIXT Copper Grease

Copper	7440-50-8		Aquatic Acute 1: 10 Aquatic Chronic 1: 10	Acute Tox. 4 (H302) : 0.733 (17th ATP) Acute Tox. 3 (H331) : 0.733 Dust (17th ATP)
--------	-----------	--	--	---

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing..
Skin Contact	Wash skin with water.
Eye Contact	Flush eyes with water for at least 15 minutes.
Ingestion	Wash out mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

None anticipated. Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media**

Suitable Extinguishing media	Foam, CO ₂ or dry Powder.
Unsuitable extinguishing media	Do not full water jet.

5.2 Special hazards arising from the substance or mixture

None anticipated. In case of fire toxic gases may be formed.

5.3 Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Take the precautions customary when handling chemicals. Use personal protection equipment. Special danger of slipping by leaking/spilling product

6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Sweep up spilled substance and remove to safe place. Use vacuum equipment for collecting spilt materials, where practicable. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses.

FIXT Copper Grease

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature Ambient.
Storage life Stable under normal conditions.
Incompatible materials None known.

7.3 Specific end use(s)

PC24 Lubricants, greases, release products

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Not e
Copper fume (as Cu)	7440-50-8		0.2			
Copper and compounds: dust and mists (as Cu)	7440-50-8		1		2	

Region Source
United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation.

8.2.2. Personal protection equipment



Eye Protection Wear eye protection with side protection (EN166).



Skin protection Wear Impervious Gloves (EN374).

FIXT Copper Grease



Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.



Thermal hazards None known.

8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	Paste.
Colour	Copper.
Odour	Barely perceptible odour.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and boiling range	Not known.
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	Not applicable.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	Not known.
Kinematic Viscosity	Not known.
Solubility	Solubility (Water) : Insoluble. Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Density and/or relative density	Not known.
Relative vapour density	Not known.
Particle characteristics	Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Not tested.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

FIXT Copper Grease

Heat. Sources of ignition.

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 20833.33000
Acute toxicity - Skin Contact	Calculation method : Not classified.
Acute toxicity - Inhalation	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 30.54000
Skin corrosion/irritation	Calculation method : Not classified.
Serious eye damage/irritation	Calculation method : Not classified.
Skin sensitization data	Calculation method : Not classified.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : Not classified.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : Not classified.

11.2 Information on other hazards

ECHA Endocrine disruptor assessment list: 7440-50-8, 231-159-6 (Reason not given)

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates	Not known.
Toxicity - Fish	Not known.
Toxicity - Algae	Not known.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

FIXT Copper Grease

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

ECHA Endocrine disruptor assessment list: 7440-50-8, 231-159-6 (Reason not given)

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation.
Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number or ID number

UN No. 3077

14.2 UN proper shipping name

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3 Transport hazard class(es)

ADR/RID

ADR/RID Class 9

ADR Classification Code M7

Special Provisions 274, 335, 375, 601

Limited Quantities 5 kg

Excepted Quantities E1

Emergency Action Code 2Z

Mixed Packing Instructions for Packages P002 IBC08 LP02 R001

Special Packing Provisions for Packages PP12 B3

Mixed Packing Instructions for Packages MP10

Packing Instructions for Portable Tanks T1 BK1 BK2 BK3

Special Provisions for Portable Tanks TP33

Tank Code for Tanks SGAV LGBV

Special Provisions for Tanks


Vehicle for Tank Carriage AT

ADR Transport Category 3

Tunnel Restriction Code -

FIXT Copper Grease

Special Provisions for Carriage - Packages	V13
Special Provisions for Carriage - Bulk	VC1 VC2
Special Provisions for Carriage - Loading, Unloading and Handling	CV13
Special Provisions for Carriage - Operation	
ADR HIN	90
IMDG	
IMDG Class	9
Special Provisions	274, 335, 375, 601
Limited Quantities	5 kg
Excepted Quantities	E1
Mixed Packing Instructions for Packages	P002 IBC08 LP02 R001
Special Packing Provisions for Packages	PP12 B3
Packing Instructions for Portable Tanks	T1 BK1 BK2 BK3
Special Provisions for Portable Tanks	TP33
IMDG EMS	F-A, S-F
Stowage and Handling	Category A SW23
Segregation	
Marine Pollutant	
ICAO/IATA	
IATA Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Excepted Quantities	E1
Passenger and Cargo Aircraft Limited Quantities Packing Instructions	Y956
Passenger and Cargo Aircraft Limited Quantities Max net Qty	30Kg G
Passenger and Cargo Aircraft Packing Instructions	956
Passenger and Cargo Aircraft Max net Qty	400Kg
Cargo Aircraft Packing Instructions	956
Cargo Aircraft Max net Qty	400Kg
Special Provisions	A97, A158, A179, A197, A215
Emergency Response Guidebook (ERG) Code	9L
Labels	
Labels	9

**14.4 Packing group**

Packing group III

FIXT Copper Grease**14.5 Environmental hazards**

Environmental hazards Classified as a Marine Pollutant.

14.6 Special precautions for user

Special precautions for user Not known.

14.7 Maritime transport in bulk according to IMO instruments

No information available

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

REACH: ANNEX XIV list of substances subject to authorisation Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Copper (7440-50-8)

Community Rolling Action Plan (CoRAP) Not listed

Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants Not listed

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



GHS09

FIXT Copper Grease

	GHS06: GHS: Skull and crossbones GHS07: GHS: Exclamation mark
Hazard classification	Acute Tox. 4 : Acute toxicity, Category 4 Eye Irrit. 2 : Serious eye damage/irritation, Category 2 Acute Tox. 3 : Acute toxicity, Category 3 Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1 Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1 Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2
Hazard Statement(s)	H302: Harmful if swallowed. H319: Causes serious eye irritation. H331: Toxic if inhaled. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects.
Precautionary Statement(s)	P273: Avoid release to the environment. P391: Collect spillage. P501: Dispose of contents in accordance with local, state or national legislation.
Acronyms	ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures DNEL : Derived No Effect Level EC : European Community EINECS : European Inventory of Existing Commercial Chemical Substances IATA : International Air Transport Association IBC : Intermediate Bulk Container ICAO : International Civil Aviation Organization IMDG : International Maritime Dangerous Goods LTEL : Long term exposure limit PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulations concerning the International Carriage of Dangerous Goods by Rail STEL : Short term exposure limit STOT : Specific Target Organ Toxicity

**FIXT Copper Grease**

UN : United Nations
vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS Regulation (EC) No. 1272/2008 (CLP)

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.