



## SAFETY DATA SHEET

### 750ML SUPER PROFESSIONAL WAX FREE POLISH H5

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name	750ML SUPER PROFESSIONAL WAX FREE POLISH H5
Product number	800-277-0003 H5
Container size	750mL

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Detergent. Cleaning agent. Polish.
Uses advised against	Not for Oral Consumption. Use only for intended applications.

##### 1.3. Details of the supplier of the safety data sheet

Supplier	Mirius™ A Coventry Group Company Woodhams Road Siskin Drive Coventry CV3 4FX  Coventry Chemicals (Ireland) Limited 4th Floor 8-34 Percy Place Dublin 4 Ireland Tel: +44 (0) 02476 639 739 Fax: +44 (0) 02476 639 717 Email: sales@mirius.com
----------	--

Contact person	For content of safety data sheet., sds@mirius.com
----------------	---

##### 1.4. Emergency telephone number

Emergency telephone	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)
---------------------	---

National emergency telephone number	UK: In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24  Ireland: For information or to report a poisoning incident contact The National Poisons Information Centre (01 8092166)
-------------------------------------	---

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (SI 2019 No. 720)

Physical hazards	Not Classified
------------------	----------------

## 750ML SUPER PROFESSIONAL WAX FREE POLISH H5

**Health hazards** Not Classified

**Environmental hazards** Not Classified

### 2.2. Label elements

**Hazard statements** NC Not Classified

**Precautionary statements** P102 Keep out of reach of children.  
P262 Do not get in eyes, on skin, or on clothing.  
P264 Wash contaminated skin thoroughly after handling.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/ attention.  
P501 Dispose of contents/ container in accordance with local regulations.

**Detergent labelling** 5 - < 15% aliphatic hydrocarbons, < 5% non-ionic surfactants, < 5% perfumes, Contains LIMONENE, 2-Bromo-2-nitropropane-1, 3-diol

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>ETHANOL</b>	<b>5-10%</b>
CAS number: 64-17-5	EC number: 200-578-6
<b>Classification</b>	
Flam. Liq. 2 - H225	
Eye Irrit. 2 - H319	
<b>MONOPROPYLENE GLYCOL</b>	<b>1-5%</b>
CAS number: 57-55-6	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Not Classified	-
<b>METHANOL</b>	<b>&lt;1%</b>
CAS number: 67-56-1	
EC number: 200-659-6	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Flam. Liq. 2 - H225	F;R11 T;R23/24/25,R39/23/24/25
Acute Tox. 3 - H301	
Acute Tox. 3 - H311	
Acute Tox. 3 - H331	
STOT SE 1 - H370	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**Inhalation** Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

## 750ML SUPER PROFESSIONAL WAX FREE POLISH H5

<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Abusive inhalation may cause irritation, remove to fresh air.
<b>Ingestion</b>	Unlikely exposure route without abuse. Symptoms will include, Sickness, possible Irritation of GI Tract. A soapy taste may be reported.
<b>Skin contact</b>	Prolonged contact may cause redness, irritation and dry skin.
<b>Eye contact</b>	May cause temporary eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	No specific recommendations. Treat symptomatically.
-----------------------------	---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
-------------------------------------	---

### 5.2. Special hazards arising from the substance or mixture

<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.
--------------------------------------	--

### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Control run-off water by containing and keeping it out of sewers and watercourses.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces.
-----------------------------	--

### 6.2. Environmental precautions

<b>Environmental precautions</b>	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.
----------------------------------	--

### 6.3. Methods and material for containment and cleaning up

<b>Methods for cleaning up</b>	Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
--------------------------------	---

### 6.4. Reference to other sections

<b>Reference to other sections</b>	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.
------------------------------------	--

## 750ML SUPER PROFESSIONAL WAX FREE POLISH H5

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

<b>Usage precautions</b>	Provide adequate ventilation. Avoid contact with skin and eyes. Do not mix with other chemicals or detergents.
<b>Advice on general occupational hygiene</b>	No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. Wash at the end of each work shift and before eating, smoking and using the toilet.

#### 7.2. Conditions for safe storage, including any incompatibilities

<b>Storage precautions</b>	Store in tightly-closed, original container in a dry, cool and well-ventilated place.
----------------------------	---

#### 7.3. Specific end use(s)

<b>Specific end use(s)</b>	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

##### ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m<sup>3</sup>

##### MONOPROPYLENE GLYCOL

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> particulate

Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m<sup>3</sup> total vapour and particulates

##### METHANOL

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m<sup>3</sup>

Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through the skin.

#### ETHANOL (CAS: 64-17-5)

<b>DNEL</b>	Workers - Inhalation; Long term systemic effects: 950 mg/m <sup>3</sup>
	Workers - Inhalation; Short term local effects: 1900 mg/m <sup>3</sup>
	Workers - Dermal; Long term systemic effects: 343 mg/kg
	General population - Inhalation; Long term systemic effects: 114 mg/m <sup>3</sup>
	General population - Inhalation; Short term local effects: 950 mg/m <sup>3</sup>
	General population - Dermal; Long term systemic effects: 206 mg/kg/day
	General population - Oral; Long term systemic effects: 87 mg/kg/day
<b>PNEC</b>	- Fresh water; 0.96 mg/l
	- marine water; 0.79 mg/l
	- Intermittent release; 2.75 mg/l
	- STP; 580 mg/l
	- Sediment (Freshwater); 3.6 mg/kg
	- Sediment (Marinewater); 2.9 mg/kg
	- Soil; 0.63 mg/kg

#### MONOPROPYLENE GLYCOL (CAS: 57-55-6)

**750ML SUPER PROFESSIONAL WAX FREE POLISH H5**

**DNEL** Workers - Inhalation; Long term systemic effects: 168 mg/m<sup>3</sup>  
 Workers - Inhalation; Long term local effects: 10 mg/m<sup>3</sup>  
 General population - Inhalation; Long term systemic effects: 50 mg/m<sup>3</sup>  
 General population - Inhalation; Long term local effects: 10 mg/m<sup>3</sup>

**PNEC** - Fresh water; 260 mg/l  
 - Intermittent release; 183 mg/l  
 - marine water; 26 mg/l  
 - STP; 20000 mg/l  
 - Sediment (Freshwater); 572 mg/kg  
 - Sediment (Marinewater); 57.2 mg/kg  
 - Soil; 50 mg/kg

**METHANOL (CAS: 67-56-1)**

**DNEL** Workers - Inhalation; Long term systemic effects: 130 mg/m<sup>3</sup>  
 Workers - Inhalation; Long term local effects: 130 mg/m<sup>3</sup>  
 Workers - Inhalation; Short term systemic effects: 130 mg/m<sup>3</sup>  
 Workers - Inhalation; Short term local effects: 130 mg/m<sup>3</sup>  
 Workers - Dermal; Long term systemic effects: 20 mg/kg/day  
 Workers - Dermal; Short term systemic effects: 20 mg/kg/day  
 General population - Inhalation; Long term systemic effects: 26 mg/m<sup>3</sup>  
 General population - Inhalation; Short term systemic effects: 26 mg/m<sup>3</sup>  
 General population - Inhalation; Long term local effects: 26 mg/m<sup>3</sup>  
 General population - Inhalation; Short term local effects: 26 mg/m<sup>3</sup>  
 General population - Dermal; Long term systemic effects: 4 mg/kg/day  
 General population - Dermal; Short term systemic effects: 4 mg/kg/day  
 General population - Oral; Long term systemic effects: 4 mg/kg/day  
 General population - Oral; Short term systemic effects: 4 mg/kg/day

**PNEC** Fresh water; 20.8 mg/l  
 marine water; 2.08 mg/l  
 STP; 100 mg/l  
 Sediment (Freshwater); 77 mg/kg  
 Sediment (Marinewater); 7.7 mg/kg  
 Soil; 100 mg/kg

**BRONOPOL (INN) (CAS: 52-51-7)**

## 750ML SUPER PROFESSIONAL WAX FREE POLISH H5

<b>DNEL</b>	Workers - Inhalation; Long term systemic effects: 4.1 mg/m <sup>3</sup>
	Workers - Inhalation; Short term systemic effects: 12.3 mg/m <sup>3</sup>
	Workers - Inhalation; Long term local effects: 4.2 mg/m <sup>3</sup>
	Workers - Inhalation; Short term local effects: 4.2 mg/m <sup>3</sup>
	Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day
	Workers - Dermal; Short term systemic effects: 7 mg/kg/day
	Workers - Dermal; Long term local effects: 0.013 mg/cm <sup>2</sup>
	Workers - Dermal; Short term local effects: 0.013 mg/cm <sup>2</sup>
	General population - Inhalation; Long term systemic effects: 1.2 mg/m <sup>3</sup>
	General population - Inhalation; Short term systemic effects: 3.7 mg/m <sup>3</sup>
	General population - Inhalation; Long term local effects: 1.3 mg/m <sup>3</sup>
	General population - Inhalation; Short term local effects: 1.3 mg/m <sup>3</sup>
	General population - Dermal; Long term systemic effects: 1.4 mg/kg/day
	General population - Dermal; Short term systemic effects: 4.2 mg/kg/day
	General population - Dermal; Long term local effects: 0.008 mg/cm <sup>2</sup>
	General population - Dermal; Short term local effects: 0.008 mg/cm <sup>2</sup>
	General population - Oral; Long term systemic effects: 0.35 mg/kg/day
	General population - Oral; Short term systemic effects: 1.1 mg/kg/day
<b>PNEC</b>	- Fresh water; 0.01 mg/l
	- marine water; 0.008 mg/l
	- Intermittent release; 0.0025 mg/l
	- STP; 0.43 mg/l
	- Sediment (Freshwater); 0.041 mg/kg
	- Sediment (Marinewater); 0.00328 mg/kg
- Soil; 0.5 mg/kg	

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate ventilation.

#### Personal protection

Data provided here is not a risk/COSHH assessment. It relates to the product as supplied and should be used in developing a risk/COSHH assessment.

#### Eye/face protection

No specific eye protection required during normal use.

#### Hand protection

For users with sensitive skin, it is recommended that suitable protective gloves are worn.

#### Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate skin cream to prevent drying of skin.

#### Hygiene measures

Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

#### Respiratory protection

Respiratory protection not required.

#### Environmental exposure controls

Avoid releasing into the environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

## 750ML SUPER PROFESSIONAL WAX FREE POLISH H5

<b>Appearance</b>	Liquid.
<b>Colour</b>	Pink.
<b>Odour</b>	Perfumed.
<b>Odour threshold</b>	No information available.
<b>pH</b>	pH (concentrated solution): 7.0 typically
<b>Melting point</b>	No information available.
<b>Initial boiling point and range</b>	Not applicable.
<b>Flash point</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Evaporation factor</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	No information available.
<b>Other flammability</b>	No information available.
<b>Vapour pressure</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Relative density</b>	1.000 typically @ @20°C
<b>Bulk density</b>	No information available.
<b>Solubility(ies)</b>	Soluble in water.
<b>Partition coefficient</b>	No information available.
<b>Auto-ignition temperature</b>	Not determined.
<b>Decomposition Temperature</b>	Not determined.
<b>Viscosity</b>	Not determined.
<b>Explosive properties</b>	There are no chemical groups present in the product that are associated with explosive properties.
<b>Explosive under the influence of a flame</b>	Not considered to be explosive.
<b>Oxidising properties</b>	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.
<b>Comments</b>	Information given is applicable to the product as supplied.
<b>9.2. Other information</b>	
<b>Other information</b>	Not relevant.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

## 750ML SUPER PROFESSIONAL WAX FREE POLISH H5

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Not applicable.

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid exposure to high temperatures or direct sunlight.

### 10.5. Incompatible materials

**Materials to avoid** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Does not decompose when used and stored as recommended.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Toxicological effects** Information given is based on data of the components and of similar products.

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE oral (mg/kg)** 6,250.0

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE dermal (mg/kg)** 13,750.0

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE inhalation (vapours mg/l)** 137.5

**ATE inhalation (dusts/mists mg/l)** 18.75

#### Skin corrosion/irritation

**Skin corrosion/irritation** Not classified. Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

#### Respiratory sensitisation

**Respiratory sensitisation** Not sensitising. Based on available data the classification criteria are not met.

#### Skin sensitisation

**Skin sensitisation** Not classified. Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

**Genotoxicity - in vitro** Does not contain any substances known to be mutagenic.

#### Carcinogenicity

**Carcinogenicity** Does not contain any substances known to be carcinogenic.

#### Reproductive toxicity

**Reproductive toxicity - fertility** Does not contain any substances known to be toxic to reproduction.

## 750ML SUPER PROFESSIONAL WAX FREE POLISH H5

### Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

<b>General information</b>	This product has low toxicity.
<b>Inhalation</b>	No specific health hazards known.
<b>Ingestion</b>	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.
<b>Skin contact</b>	Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.
<b>Eye contact</b>	May cause temporary eye irritation.

### 11.2 Information on other hazards

**11.2.1. Endocrine disrupting properties** This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

### 11.2.2 Other information

## SECTION 12: Ecological information

**Ecotoxicity** There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.

### 12.1. Toxicity

**Toxicity** Not considered toxic to fish.

### 12.2. Persistence and degradability

**Persistence and degradability** The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** No information available.

### 12.4. Mobility in soil

**Mobility** The product is water-soluble and may spread in water systems.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

### 12.6. Other adverse effects

**Other adverse effects** None known.

## 750ML SUPER PROFESSIONAL WAX FREE POLISH H5

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**General information**

The generation of waste should be minimised or avoided wherever possible.

**Disposal methods**

The packaging must be empty (drop-free when inverted). Wash with plenty of water. Waste packaging should be collected for reuse or recycling. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Normal use solutions are expected to be flushed to sewers.

### SECTION 14: Transport information

**General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78  
and the IBC Code

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 750ML SUPER PROFESSIONAL WAX FREE POLISH H5

### National regulations

The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).  
 EH40/2005 Workplace exposure limits.  
 The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 (SI 2020 No. 1577) (as amended).  
 The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 696) (as amended).  
 The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 583) (as amended).  
 The Detergents Regulations 2010 (SI 2010 No. 740) (as amended). The Detergents (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 612) (as amended). The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 671) (as amended).  
 The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).  
 The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (as amended).  
 The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).  
 The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

### EU legislation

European Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (as amended)  
 European Regulation (EC) No 1907/2006 - Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended)  
 European Regulation (EC) No 648/2004 on detergents (as amended)  
 European Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products (BPR) as amended  
 Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006.

### Guidance

Workplace Exposure Limits EH40.  
 COSHH Essentials.  
 ECHA Guidance on the Application of the CLP Criteria.  
 ECHA Guidance on the compilation of safety data sheets.

### 15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

## SECTION 16: Other information

### Abbreviations and acronyms used in the safety data sheet

PBT: Persistent, Bioaccumulative and Toxic substance.  
 vPvB: Very Persistent and Very Bioaccumulative.

### General information

NOTE: Finished product SDS are linked to bulk liquid SDS. The revision data will show that of the parent bulk liquid

### Revision comments

Revised formulation. NOTE: Lines within the margin indicate significant changes from the previous revision. Note: Finished product SDS take their revision history from the parent bulk liquid SDS. The revision data will show that of the parent liquid.

### Revision date

20/03/2024

**750ML SUPER PROFESSIONAL WAX FREE POLISH H5**

<b>Revision</b>	6
<b>Supersedes date</b>	11/05/2022
<b>SDS number</b>	21559
<b>Hazard statements in full</b>	H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H311 Toxic in contact with skin. H319 Causes serious eye irritation. H331 Toxic if inhaled. H370 Causes damage to organs .

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

----- END OF SDS -----